In the Claims:

Cancel, without prejudice, claims 1-15, and add new claims 16-30 as indicated below:

1 - 15 (cancelled).

16 (new). A carrier and drive arrangement for use in a solar energy reflector system and which comprises:

- a) a carrier structure having
 - i) a platform for supporting a reflector element,
 - ii) a frame portion that includes hoop-like end members between which the platform extends, and
 - the end members and which accommodate turning of
 the carrier structure about an axis of rotation that is
 substantially coincident with a longitudinal axis of
 the reflector element when supported by the
 platform; and
- b) a drive system incorporating an electric motor for imparting turning drive to the carrier structure.

Page 2- Preliminary Amendment in National Stage of PCT/AU2004/000883

- 17 (new). The carrier and drive arrangement as claimed in claim 16 wherein the drive system is arranged to impart unidirectional turning drive to the carrier structure by way of one of the end members.
- 18 (new). The carrier and drive arrangement as claimed in claim 17 wherein the drive system comprises:
 - a) a link chain that extends around and is fixed to the end member to form, in effect, a gear wheel, and
 - b) a sprocket for transferring drive from the electric motor to the link chain.
- 19 (new). The carrier and drive arrangement as claimed in claim 16 wherein the platform comprises a panel-like platform which is formed with stiffening elements in the form of corrugations and wherein the reflector element is supported upon the crests of the corrugations.
- 20 (new). The carrier and drive arrangement as claimed in claim 16 wherein the platform comprises a panel-like platform which is formed with stiffening elements in the form of
- Page 3- Preliminary Amendment in National Stage of PCT/AU2004/000883

flutes and wherein the reflector element is supported upon the crests of the flutes.

- 21 (new). The carrier and drive arrangement as claimed in claim 19 wherein the stiffening elements are orientated to extend in a direction parallel to the longitudinal axis of the reflector element.
- 22 (new). The carrier and drive arrangement as claimed in claim 20 wherein the stiffening elements are oriented to extend in a direction parallel to the longitudinal axis of the reflector element.
- 23 (new). The carrier and drive arrangement as claimed in claim 16 wherein the platform is curved concavely in a direction orthogonal to the longitudinal axis of the reflector element.
- 24 (new). The carrier and drive arrangement as claimed in claim 23 wherein the platform is curved with a radius of curvature within the range of 20 to 50 metres.

- 25 (new). The carrier and drive arrangement as claimed in claim 23 wherein the reflector element is secured to the platform in a manner such that the curvature of the platform is imparted to the reflector element.
- 26 (new). The carrier and drive arrangement as claimed in claim 16 wherein the reflector element comprises a panel-shaped glass mirror.
- 27 (new). The carrier and drive arrangement as claimed in claim 16 wherein the reflector element comprises a plurality of edge-abutting glass mirrors.
- 28 (new). The carrier and drive arrangement as claimed in claim 26 wherein the reflector element is adhered to the platform.
- 29 (new). The carrier and drive arrangement as claimed in claim 16 wherein each of the hoop-shaped end members has a channel-section circumferential portion and a diametrically extending member that is constituted by a transverse frame member of the platform.

Page 5- Preliminary Amendment in National Stage of PCT/AU2004/000883

30 (new). The carrier and drive arrangement as claimed in claim 29 wherein the support members comprise spaced-apart supporting rollers which track within the circumferential portion of associated ones of the end members.

Respectfully submitted,

Garth Japke Reg. No. 40,662 (503) 228-1841